

INVITATION TO BID

(This is not an order.)

Buyer: Lauren Drake

216-664-2627

ldrake@city.cleveland.oh.us

Requestor: Robert Jarvis

216-664-2444

Robert_Jarvis@clevelandwater.com

CITY OF CLEVELAND

Division of Purchases & Supplies 601 Lakeside Avenue Room 128 Cleveland, OH 44114

Procurement Folder RFB No.		RFB Description		
147392		VARIOUS UNIFORM ITEMS FOR UTILITIES POLICE SUPERVISORS&TECHS		
RFB Closing Date/Time		Department/Division	Public Bid Opening Date/Time	
October 28, 2024 3:00 PM		2002	October 28, 2024 3:00 PM	

SCHEDULE OF EVENTS

	Event Description	Event Date		
Group/ Line#	Commodity Description	Item Quantity/ UOM	Service Dates	Catalog Discount
	VARIOUS UNIFORM ITEMS FOR UTILITIES POLICE SUPERVISORS&TECHS		From To	

Please review detailed attachments.

Uniform items are to be purchased for supervisors (Chief, Captain, Lieutenants and Electronic Security System Technicians) Purchase order to be used as needed by DPU Security. Specs for items are attached. VENDOR PLEASE NOTE THAT PRICING FOR SIZING MUST REMAIN THE SAME REGARDLESS OF SIZE. (COST MUST BE THE SAME FOR ALL SIZES). VENDOR PLEASE NOTE THAT THERE MUST BE NO MORE THAN A TEN DAY TURN AROUND FOR COMPLETION OF ORDERS ONCE ORDER IS PLACED. VENDOR PLEASE CALL CHIEF ROBERT JARVIS AT (216) 664-2444 EXT. 73632 FOR QUESTIONS.

Ship To:	Vendor Response		
Util. Police/Security Hq.	Contract Amount		
TASC Building			
1230 Chardon Rd.			
Cleveland, OH 44117			

Vendor Response	Vendor Total Amount for Items	Vendor Total Amount for Services	Payment Discount Offer		
	\$	\$	%	Day(s)	

TERMS OF DELIVERY

- Price quoted shall be F.O.B. delivered to the place designated on purchase order. No other terms will be acceptable.
- Delivery quoted must be stated in terms of work days after receipt of the order.
- All charges for shipping must be included within the Unit Price for each item quote unless otherwise designated by a separate line with a specified dollar amount inclusive of all shipping charges.
- No freight charges will be considered nor processed for payment unless apart of the original quote submitted prior to bid award.

BIDDER AGREES TO COMPLY WITH ALL TERMS AND CONDITIONS BELOW AND ON REVERSE SIDE OF THIS BID

Shipping/Freight Charges

ALL CHARGES FOR SHIPPING MUST BE INCLUDED WITHIN THE UNIT PRICE OF EACH QUOTE UNLESS OTHERWISE DESIGNATED BY A SEPARATE LINE ITEM WITH A SPECIFIED DOLLAR AMOUNT INCLUSIVE OF ALL SHIPPING CHARGES.

NO FREIGHT CHARGES WILL BE CONSIDERED NOR PROCESSED FOR PAYMENT UNLESS APART OF THE ORIGINAL QUOTE SUBMITTED PRIOR TO BID AWARD.

Call Buver Only

Bidders must address all questions to the Buyer (See Above.) Do NOT contact the "Requestor." Contract only the Buyer listed above.



INVITATION TO BID

(This is not an order.)

Buyer: Lauren Drake

ldrake@city.cleveland.oh.us

2 of 2

Requestor: Robert Jarvis

216-664-2444

216-664-2627

Robert_Jarvis@clevelandwater.com

CITY OF CLEVELAND

Division of Purchases & Supplies 601 Lakeside Avenue Room 128

ocurement Folder	RFB No.	RFB Description			
7392	RFB 2002 20240000000610	VARIOUS UNIFORM IT SUPERVISORS&TECHS	EMS FOR UTILITIES POLICE		
FB Closing Date/Time					
etober 28, 2024 3:00 PM		2002	October 28, 2024 3:00 PM		
BIDDER AGREES TO C	COMPLY WITH ALL TERMS AND C	CONDITIONS BELOW AND	ON REVERSE SIDE OF THIS BID		
No Price increase					
BIDDER MUST COMPL	es not permit price increases.				
NAME OF THE FIRM:	LETE & OIGH BELOW				
STREET ADDRESS:					
CITY:		STATE:	ZIP CODE:		
FED ID # / SSN #:					
PHONE NO.:		FAX NO.:			
EMAIL ADDRESS:					
PLEASE PRINT CONTAC	T NAME:				
AUTHORIZED SIGNATU	RE:	DATE:			
	nents must be enclosed in a sealed env	elope and marked with the RF	B number.		
RETURN BID TO: Division		-			
601 La	akeside Ave				
	128, City Hall land, OH 44114				

Effective Immediately: In accordance with Codified Ordinance 181.13 (I) the City shall receive competitive sealed bids through email. All City of Cleveland bids estimated to be less than 50K in value will be submitted and received electronically via email. All bids must be emailed to CityofClevelandbids@clevelandohio.gov. Upon receipt of your bid, you will receive a reply indicating your bid has been received.

Bidder's Instructions

See enclosed Terms & Conditions. Read and follow all terms and conditions of the bid.

Bids must be submitted to CityofClevelandbids@clevelandohio.gov, the Document ID Number and Buyer's Name must be identified in the email subject line. Also clearly state the Document ID Number, Bid Description, Buyer's Name and Closing Date.

Bids received after the Closing Date, Closing Time and sent to any other email address not identified in the Bidders Instruction cannot be considered.

Northern Ireland Affidavit must be completed, signed and included with each bid.

The bid must be submitted to: CityofClevelandbids@Clevelandohio.Gov

Bids received after the Closing Date, Closing Time and sent to any other email address not identified in the Bidders Instruction cannot be considered.

☐ The Document ID Number and Buyers Name in	email subject line
☐ PDF File of Request For Bid Form	_
☐ Terms & Conditions.	
☐ Northern Ireland Affidavit.	

The bid documents must include:

Contact the Buyer immediately at the number on the Bid Form if you do not have all the required documents.

TERMS AND CONDITIONS

- 1. Acceptance of Purchase Order. This Purchase Order shall be effective when Seller executes it, otherwise indicates its acceptance, or delivers to the City of Cleveland any of the goods ordered herein or renders for the City any of the services ordered herein. If this Purchase Order has been issued by the City in response to an offer, then the issuance of this Purchase Order by the City shall constitute an acceptance of such offer subject to the express condition that the Seller assent to any additional or different terms contained herein. Any additional or different terms or conditions contained in any acknowledgement of the purchase by the Seller shall automatically be deemed objected to by the City and shall not be binding upon the City unless specifically accepted by the City in writing.
- 2. Entire Agreement. This order, the instructions to bidders, the Request for Bid, the Bid Schedule of Items, and any specification and/or other attachments, if any, incorporated hereby by reference, constitute the entire agreement between the parties and replaces and supersedes any prior or contemporaneous communications, representations, or agreements, whether oral or written with respect to such matter.
- 3. Indemnification. Seller shall indemnify, defend, and hold harmless the City, its officers, agents, and employees from all claims, demands, liabilities, losses, suits, cause of action, judgments, costs, and expenses, including attorneys' fees, arising, occurring, or allegedly arising or occurring from the personal injury, including death, property damage, including loss of use, or otherwise, to any person or the property of any person, including third parties and employees of any party, as a result of negligent or intentional act or omission of Seller or its agents, employees, subSellers or suppliers, in the furnishing of the goods covered by this PO, or because of any imperfection or defect in said goods, or based upon any claim of product liability of strict liability in tort, or because of the failure of such goods to be in accordance with the description of such goods as may appear in any catalog, analytical information report or other technical bulletin as is furnished or used by the City, or because of the failure of such goods to be produced in compliance with the requirements of this PO.
- 4. <u>Limit of Liability.</u> In no event shall the City be liable for anticipated profits, incidental or consequential damages, or penalties of any description. The City's liability on any claim arising out of or connected with or resulting from this contract or from the performance or breach thereof shall in no case exceed the price allocable to the goods or services or unit thereof which gives rise to the claim.
- 5. Remedies. The city's remedies shall be cumulative and remedies herein specified do not exclude any remedies allowed by law or in equity. Waiver of any breach shall not constitute waiver of any other breach of the same or any other provision. Acceptance of any items or payment therefore shall not waive any breach.
- 6. Default. Payment or acceptance of any items after the delivery date shall not constitute a waiver of the City's right to cancel this order with respect to subsequent deliveries. The City reserves the right to reasonable testing and inspection before payment or acceptance. The City's failure to inspect and accept or reject goods, materials, or articles shall not relieve Seller from liability for tender or delivery of nonconforming goods nor constitute a waiver of any of the City's rights or remedies for breach of contract. The City reserves the right to reject any or all items not in conformity with the specifications noted within this purchase order in any respect.
- 7. F.O.B. Destination. Freight terms are F.O.B. Destination, Freight Prepaid, unless otherwise approved in writing by the Commissioner of Purchases and Supplies.
- 8. Non-Assignment. Neither this contract, nor any interest herein, shall be assigned or subcontracted by the Seller except upon the prior written consent of the City.
- 9. Patent, Trademark or Copyright Infringement. Seller agrees to defend, entirely at its own expense, all claims, demands, and actions that may be asserted against the City for all alleged patent, trademark, and/or copyright infringement resulting from the use or resale of goods covered by the PO, and to indemnify and hold the City harmless against all costs, expenses, legal fees, and judgments related to such claims, demands, and actions.
- 10. Timing. Time is of the essence in this contract. Failure to deliver within the time specified shall entitle the City, in addition to any other rights or remedies, to cancel this order and purchase the goods elsewhere, in which event the Seller shall be responsible for any increase in cost.
- 11. Implied Warranty. In addition to its standard warranty, Seller warrants that all goods supplied will be free and clear of all liens and encumbrances, good and merchantable title being in the Seller. Upon receipt by Seller of payment, good and merchantable title will vest in the City. All goods will be free from any defects in design, materials or workmanship and will be of good and merchantable quality. All goods will conform to the City's specifications or the approved sample as the case may be, and will be fit for the known purposes for which purchased, and that Seller will not substitute anything without the City's written consent.
- 12. Change Orders. No changes in the PO, its prices, terms, conditions, length, or attachments are permitted, without the City's prior written approval.
- 13. Cancellation. The City shall have the right to cancel this order, or any undelivered portion of this order, without cause, and its liability for such cancellation shall be limited to Seller's actual cost for work and materials applicable solely to this order that have been expected when Seller receives notice of cancellation. The City may, at its option, cancel this order without liability to Seller (except for conforming shipments the City previously accepted) if Seller (a) ceases to exist, (b) becomes insolvent, (c) becomes the subject of bankruptcy or insolvency proceedings, or (d) commits a breach in the performance of any obligation under this agreement or of any other written agreement with the City of Cleveland.
- 14. Compliance with Laws. Seller shall comply with all federal, state, and local laws, ordinances, rules, and regulations in the manufacture and sale of the goods and performance of the services. Seller shall defend and hold the City harmless from any losses, damages, or costs arising from or caused in any way by Seller's actual or alleged violation of any federal, state, or local law, ordinance, rule or regulation.
- 15. Access to Records: Seller shall provide access to pertinent records relative to this contract/order for a period of three (3) years after the last receipt of payment is made under this contract/order, whichever occurs last.
- 16. Material Safety Data Sheets: Any substance delivered as a part of this order must be properly labeled in accordance with all applicable regulations and must be accompanied by a Material Safety Data sheet (MSDS).
- 17. Venue. Any dispute arising under this order not disposed of by agreement shall be decided by a court of competent jurisdiction in Cuyahoga County in the State of Ohio. Pending settlement on final decision of any dispute, Seller shall proceed diligently with the performance of this order in accordance with the City's direction. The Charter and Ordinance of the City of Cleveland shall govern.
- 18. Tax. Buyer is exempt from Federal and State taxes for tangible personal property. Sellers doing business with the Buyer may not be exempt from paying sales tax to their suppliers for materials to fulfill contractual obligations with the Buyer, nor shall any Seller be authorized to use the Buyer's Tax Exemption number in acquiring such materials, without the prior issuance of a signed Tax Exemption Certificate. A Tax Exemption Certificate is available upon written request.
- 19. Documentation. Seller shall clearly mark all documentation with the applicable valid PO number.
- 20. Payment Terms. Payment will be made in accordance with the terms on the face of this contract, or the Seller's invoice, whichever are more favorable to the City and payment date therefore shall be calculated from the receipt of invoice or receipt or final acceptance of the goods or services, whichever is later. All claims for money due or to become due from the City shall be subject to deduction or setoff by the City by reason of any counterclaim arising out of this or any other transaction with the Seller. The acceptance by the Seller of final payment shall operate as a full and complete release of the City. No payment for goods or services shall constitute acceptance of any defective or nonconforming goods or services by the city. Unless otherwise stated in the PO, the terms of payment shall be net 30 days from the receipt of a proper invoice. It shall be understood that the cash discount period, if any, to the City will date from receipt by the City of acceptable goods and invoice and not from date of invoice.
- 21. Insurance. Unless otherwise stated in the specifications, whenever labor is involved, the Seller shall procure and maintain insurance against claims for injuries to persons or damages to property, which may arise from or in connection with the services, materials, equipment and/or supplies provided to the City. The insurer(s) must be licensed for business in the State of Ohio and maintain an A.M.Best rating of no less than A: VII or be an insurer approved by the City. The Seller shall submit all required insurance certificates to the City before commencing work. The City is to be added to each policy as an additional insured. The Seller shall notify the City in writing at least 30 days before it cancels or reduces its insurance policy or coverage and immediately upon the Company's receipt of notice from the carrier of any cancellation or reduction of the coverage or policy. Seller must demonstrate the following minimum insurance coverage in accordance with the estimated value limits: 1) Purchases less than \$50,000. General Liability Insurance, with a \$500,000 combined single limit. 2) Purchases \$50,000 and over: General Liability Insurance with bodily injury and property damage limits of \$1,000,000 for each occurrence with a \$2,000,000 general aggregate and \$2,000,000 products and completed operations aggregate. Automobile Liability Insurance must be in effect for any owned, hired and non-owned vehicle used in the performance of the work, with bodily injury limits of \$1,000,000 for each person and \$1,000,000 for each accident, and with property damage limits of \$1,000,000 for each accident; OR \$1,000,000 combined single limits, including bodily injury and property damage. The above limits are the minimum acceptable and do not infer or place a limit on the liability of the Seller. The Seller's insurance shall be primary and any insurance or self-insurance maintained by the City shall be excess for the City and not contribute with the coverage maintained by the Seller.
- 22. Workman's Compensation: Whenever labor is involved, the Seller shall subscribe to and comply with the Workmen's Compensation Laws of the State of Ohio and pay such premiums as may be required there under and to save the City harmless from any and all liability arising from or under said act. He shall also furnish a copy of the official certificate or receipt showing the payments herein referred to before commencing any work.
 - 3. Authority to Bind. All parties to this order agrees that the representatives named herein, including in all attachments, possess full and complete authority to bind said parties.
- 24. Inspection and Acceptance. No material received by the City pursuant to the purchase order issued under the terms and conditions of this bid document shall be deemed accepted until the City has had reasonable opportunity to inspect said material. All material which is discovered to be defective or which does not conform to any warranty of the Seller herein, upon initial inspection, or at any later time if the defects contained in the material were not reasonably ascertainable upon the initial inspection, may be returned at the Seller's expense for full credit or replacement. No goods returned as defective shall be replaced without written authorization from the Commissioner of Purchases and Supplies. Such return shall in no way affect the City's discount privileges. Such right to return, offered to the City arising from the City's receipt of defective goods, shall not exclude any other legal, equitable or contractual remedies the City may have therefore.
- 25. Non-appropriation of Funds. As with any other public entity, an Agreement, Contract, or issuance of Purchase Order by the City is contingent upon the legal availability of funding and the allocation of said funds. The City reserves the right to cancel any ongoing Agreement, Contract, or Purchase Order immediately, by giving written notice to the Seller, in the case of a failure by the appropriating body to appropriate funds or funding for the specific project, commodity or service.
- 26. Equal Opportunity. This Agreement is a "contract", and the Seller is a "contractor" within the meaning of Chapter 187 of the Codified Ordinances of Cleveland, Ohio 1976. During the term of this Purchase Order, the Seller shall comply with all terms, conditions and requirements imposed on a "contractor" in the Equal Opportunity Clause, Section 187.22(b) C.O., and herein made a part of this Agreement by reference. A complete copy of the Equal Opportunity Clause is available at the City of Cleveland website.

Subject: Submission of NORTHERN IRELAND FAIR EMPLOYMENT PRACTICES DISCLOSURE

Each bidder and/or appropriate parties should complete the <u>DISCLOSURE</u> and submit it with the bid, if possible. If not submitted with the bid, it must be completed and submitted to the Commissioner of Purchases and Supplies prior to any contract being awarded by the City. If a bidder or appropriate parties fail to complete and submit it, they shall not be eligible for a contract award.

NORTHERN IRELAND FAIR EMPLOYMENT PRACTICES DISCLOSURE

INSTRUCTIONS: Pursuant to Codified Ordinance Sec. 181.36, the information requested on this page must be supplied by all Contractors and any Subcontractors having more than a fifty percent (50%) interest in the proposed contract prior to any contract being awarded by the City of Cleveland. Any Contractor or Subcontractor who is deemed to have made a false statement shall be declared to have acted in default of its contract and shall be subject to the remedies for default contained in its contract. For failure to cure such a default, the Contractor or Subcontractor shall be automatically excluded from bidding for the supply of any goods or services for use by the City for a period of two years.

CHECK WHICHEVER IS APPLICABLE:

- A. () The undersigned or any controlling shareholder,* subsidiary, or parent corporation of the undersigned is NOT ENGAGED IN ANY BUSINESS OR TRADING FOR PROFIT IN NORTHERN IRELAND. (If paragraph A. is checked, proceed to the signature line.)
- B. () The undersigned or any controlling shareholder,* subsidiary, or parent corporation IS ENGAGED IN ANY BUSINESS OR TRADING FOR PROFIT IN NORTHERN IRELAND. (If paragraph B. is checked, please either check the stipulation contained in paragraph C. or attach documentation that shows that the undersigned has complied with the stipulation contained in paragraph C.
- C. () The undersigned and all enterprises identified in paragraph B. are TAKING LAWFUL AND GOOD FAITH STEPS TO ENGAGE IN FAIR EMPLOYMENT PRACTICES WHICH ARE RELEVANT TO THE STANDARDS EMBODIED IN THE "MacBRIDE PRINCIPALS FOR FAIR EMPLOYMENT IN NORTHERN IRELAND." A copy of the MacBride Principles can be obtained from the Office of the Commissioner of Purchases and Supplies. In lieu of checking this paragraph, the undersigned must attach documentation which the undersigned believes shows compliance with the stipulation contained in this paragraph C.

Name	e of Contractor or Subcontractor
By:	
Title:	

*"Controlling shareholder" means any shareholder owning more than fifty percent (50%) of the stock in the corporation or more than twenty-five percent (25%) of the stock in the corporation if no other shareholder owns a larger share of stock in the corporation.

RQS-RE #2024-810

*PLEASE NOTE THAT UNIT PRICE FOR SIZING MUST REMAIN THE SAME REGARDLESS OF SIZE.

(UNIT COST MUST BE THE SAME FOR ALL SIZES)

DETAIL SPECIFICATIONS ARE INCLUDED AS A SEPARATE ATTACHMENT FOR THE FOLLOWING ITEMS.

Item # 1 Jacket, SX5 Patrol Cost per each \$
Item # 2 Belts, Trouser Cost per each \$
Item # 3 Caps, Baseball Style Cost per each \$
Item # 4 Spring/Summer Caps, Lieutenant & up cost per each \$
Item # 5 Flashlights Stream light Stinger DS LED Cost per each \$
Item # 6 Replacement Batteries for Stream light Stinger DS cost per each \$
Item #7 Holders for stream light Stinger DS Cost per each \$
Item # 8 Flashlights, Stream light weight Recharge Cost per each \$
Item #9 Gloves, light weight Leather cost per each \$
Item # 11 Raincoats w/matching hat cover cost per each \$
Item #12 Rain hat covers cost per each \$
Item # 13 Scarves cost per each \$
Item # 14 L/S shirts - Lieut. & Up, Class A cost per each \$
Item # 15 S/S shirts, lieut & up cost per each \$
Item #16 shoes, Clarion leather Oxford male Cost per each \$
Item # 17 shoes, street duty male cost per each \$
Item # 18 Second Chance Tactical Outer Carrier cost per each \$
Item # 19 Socks, Uniform cost per each \$
Item# 20 Cardigan Sweater cost per each \$
Item # 21 Thermal Liners, W/sleeves cost per each \$
Item # 22 Ties Black cost per each \$
Item # 23 Equipment bags cost per each \$
Item # 24 four pocket trousers 12oz male cost per each \$
Item # 25 Trousers, wool blend, lieut & up cost per each \$
Item # 26 Jackets Army Field cost per each \$
Item # 27 Caps, Knit, Watch W/Liner cost per each \$
Item #28 UFX Polo Shirts, white or Navy cost per each \$
Item #29 black or navy turtleneck shirts cost per each \$
Item # 30 White turtleneck shirts cost per each \$
Item # 31 Overshoes, Nylon cost per each \$
Item # 33 Pants, TDU cost per each \$
Item # 34 Caps, light weight, chief & Deputy Chief Cost per each \$
Item # 35 Service Gloves cost per each \$
Item # 36 T-Shirt under armor loose gear navy S/S cost per each \$
Item # 37 T-Shirt Under Armor Loose Gear White S/S cost per each \$
Item # 38 Shirts, Professional Polo 511 S/S cost per each \$
Item #39 shirts, Professional Polo 511 L/S cost per each \$
Item # 40 T-Shirt under armor loose gear navy L/S cost per each \$
Item # 41 T-Shirt under armor loose gear white L/S cost per each \$

Item # 42 Boots 6" light weight and waterproof cost per each \$
Item # 43 Boots 8" light weight and water proof cost per each \$ Item # 44 Caps, Knit skull, Fleece lined cost per each \$
Item # 45 Trousers, six-pockets M & F Poll-Wool cost per each \$ Item # 46 Trousers, six-pockets M & F Rayon Blend cost per each \$
Item # 40 Trousers, six-pockets in & T Rayon Biend Cost per each 3 Item # 47First Responder Knife cost per \$ each
Item # 48 Shirt under armor crew L/S cost per each \$
Item #49 Under Armor Leggings cost per each \$
Item # 50 Belts, Casual cost per each \$
Value of Purchase Order will not exceed \$10,000. Purchase order will be utilized until the funds are exhausted.
***PLEASE NOTE THAT THERE MUST BE NO MORE THAN A TEN DAY TURN AROUND FOR COMPLETION OF ORDERS ONCE ORDER IS PLACED.
Vendor to indicate if it can meet specified turnaround time once order is placed by DPU-Security: ComplyNot Comply

METHOD OF AWARD: Award will be based on the lowest overall average unit price. Purchase order will be issued in the amount of \$10,000.00 Purchase order will be valid until the funds are exhausted.

To minimize the cost to the City though personnel traveling to several vendors, it is desired that one (l) vendor furnish the items listed.

Ballistic vest items will require measuring.

Please note that there must be no more than a ten day tum around for completion of orders once order is placed.

Items will be available for pick-up by the Cleveland Public Utilities Police members at the location of the awarded bidder(s) or delivered by the vendor to the member's assignment.

2024 Specifications/Description of Products and/or Services Department of Public Utilities Police Uniform Clothing, Equipment & Supplies

ITEM 1 SX5 PATROL JACKET

DESCRIPTION:

Thriller SX – 5 in 1 System Jacket ASTMF 1671 Blood Born Pathogen Resistant, Lime Yellow Reversible Interior in ANSI 107 Class 3 with Scotchlite Striping.

DESIGN & CONSTRUCTION:

Waist length jacket with front zipper design, reversible with permanent HI VIZ lime-yellow lining material with ANSI/ISEA 107:2010 standard construction with 2" reflective trim with Black Accent Edging. One-piece design sleeve, adjustable cuffs, two-way pleated pockets, zippered side vents with snap tab closures. Set in Hand Warmer Pockets on the high visibility side. Side equipment zippers. Drop in concealable hood with hook and loop storm closure and barrel clip adjusters. Permanent epaulets and badge holder. Removable SX Soft Shell Liner Jacket.

SHELL FABRIC:

Bio TEX Barrier Shell Fabric is Waterproof/Breathable and Blood Born Pathogen impervious. Water repellent treatment & Hydrophilic Breathable PU Coating. 70DX160D/228T Nylon Talan woven. Wight (cm) 160 gsm - /+ 5% ASTM F 1671 Independent Third Party Tested Blood Born Pathogen Impervious.

LINGING FABRIC:

Ansi 107 Compliant Fade Resistant 100% Polyester, color lime-yellow. 150d x 150d; Thread count: 72x6; Weight 140 gsm

2024 Specifications/Description of Products and/or Services Department of Public Utilities Police Uniform Clothing, Equipment & Supplies

COLOR:

Midnight Navy

SOFTSHELL FLEECE:

Midnight Navy. Face Type: 75D 2.85oz/linear yard Polyester with multi direction stretch. Film: Waterproof/Breathable Polyurethane film 2.2oz/linear yard. Backing Type: Non-pill compacted 12.7 oz./linear yard micro fleece.

INTERLINING:

White Pellon.

KNITTING:

100% stretch knit, continuous filament yarn 400 denier, with a minimum of 16 wales and 32 courses, rating to light, perspiration and wet/dry cleaning to be a minimum of 4. Knit Wristlet to be 8 x 3 flare.

FASTENERS:

All fasteners shall be as follow or equivalent:

ZIPPERS:

The front zipper shall be reversible, one slider.

The side zipper shall be a coil, reversible, one slider.

The liner zipper shall be Delrin one slider.

The sleeve zipper shall be a coil zipper, one slider.

SNAPS:

The snaps shall be universal prong snaps that have been oxidized to prevent rusting.

REFLECTIVE TAPE:

Silver, 2" wide 3M SCOTCHLITE, sewn, 8910.

2024 Specifications/Description of Products and/or Services Department of Public Utilities Police Uniform Clothing, Equipment & Supplies

Black, 1" hook and loop.					
ELASTIC: Natural color, 1", 1 ½" and 2" wide.					
SIZES: XS, S, M, L, XL, 2XL, 3XL, 4XL; Regular and Long length Sizes					
NOTE: BIDDERS SHALL CONSIDER A MAXIMUM OF FIVE (5) SPECIAL SIZES TO BE MADE BY THE MANUFACTURER AT NO ADDITONAL COST.					
REFERENCE: Gerber 71DX1/L Thriller SX Jackets or approved equal. See Gerber Website for full specification.					
Comply Exception Alternate					

Item #2 BELT, TROUSER

GENERAL: Belt shall be plain black leather, 1" wide with Chrome buckle. SIZES: Various to be selected after award

REFERENCE: Perfect Fit Model 50010r approved equal.

Comply	Exception_	Alternate
1 0		

ITEM 3 BASEBALL STYLE CAP

FABRIC: 65% Forte Polyester/35% Cotton vat-dyed two ply twill weave, weighing 7 oz. per sq. yd. with 8% engineered filling stretch. Minimum construction: 92 Warp x 56 filling yarns per sq. in. Comfl)li-Touch finishing to be incorporated for increased comfort and hand of fabric. Must be treated for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability.

COLOR: Dark Navy Blue -ALL OFFICERS

SIZE: One size fits all

CONSTRUCTION: Caps to have six panels, high profile styling, with small embroidered eyelets on each panel for ventilation. sweatband and covered button. The visor is precurved with six rows of top stitching. The front two crown panels will be lined with grey mesh fusing. An adjustable back strap will be made with self-fabric and Velcro.

PACKAGING:	Caps to	be	individually	poly-bagge	d and	l packed	12 to
a carton.							

REFERENCE: Elbeco TekTwillTM (Swift Galey style #1906) or Blauer Street gear w/3XDRY cap or approved equal

____Comply ____Exception___Alternate

ITEM #4 CAPS, SUMMER/SPRING LIEUTENANT & UP

Material: Vinyl coated sateen, specifications same as GENERAL SPECIFICATIONS FOR ITEM 13, with open cane and detachable black braid for Commander, Captain and Lieutenant. Gold gilt wire lace front strap and black mercerized braid band for Deputy Chief and Chief.

MOUNTED OFFICERS SHALL HAVE THE SAME

NOTE: CAPS

EXCEPT THAT THE CAPS SHALL HAVE TWO ROWS OF CAVALRY YELLOW TRIMMING TOP AND BOTTOM OF BRAID BAND

REFERENCE: Elbeco TekTwill TM (Swift Galey style #1906) or Blauer Street gear w/3XDRY cap orapproved equal

____Comply ____Exception ____Alternate

ITEM# 5 FLASHLIGHT, STREAM LIGHT STINGER DS LED

DESCRIPTION: Dual switch technology. The only rechargeable flashlight w/fully independent

	dual switch. Switch operates independently from the tail cap switch.
CASE MAT	ERIAL: 6,000 series machined aircraft aluminum w/non-slip grip.
COLOR:	Black
LENGTH:	8.85" (22.48 cm)
WEIGHT:	11.1 ounces
LENS:	Unbreakable Polycarbonate w/scratch-resistant coating.
LAMP:	Provide up to 15,000 candlepower for one hour continuous
	use. S: Includes AC Cigarette Lighter (12V) Charger and DC Wall Charger.
FEATURES	Combination of a rechargeable battery and a lifetime super high flux LED results in the lowest operating cost of any flashlight made.
CHARGER:	AC/DC charger comes w/Shipping dimensions Weight: 2.5 pounds; .Dimension 5.5" (W) X 4.25" (H) x 9.25"(D).
REFERENC	E: Stream light Stinger DS LED 75813 or approved equal.
	ComplyExceptionAlternate
ITEM # 6 BA	ATTERIES, STREAM LIGHT, STINGER DS REPLACEMENT
BATTERY:	75175 3.6 Volt Nickel cadmium sub-C battery is rechargeable up to 1000 times.
Comply	ExceptionAlternate

Item # 7 HOLDER, STINGER DS LED

DESCRIPTION: FULL SHEATH, OPEN TOP.

FINISH: PLAIN LEATHER

REFERENCE: SAFARILAN D 306-11-2 OR APPROVED EQUAL

____COMPLY___EXCEPTION___ALTERNATE____

ITEM #8 FLASHLIGHT, STREAMLVGIIT LIGHTWEIGHT - RECHARGEABLE

DESCRIPTION: High-intensity, AC and DC rechargeable, lightweight flashlight. Super-tough polymer case is designed to be non-slip with foam comfort grip. To include AC/DC Charger.

LENGTH & WEIGHT: 13 inches, I pound

COLOR: Black

LENS: Unbreakable Lexan lens

LAMP: Pre-focused beam of up to 25,000 candlepower from an 8-watt,

halogen lamp for

85 minutes of continuous use.

Three-position (on-off-blink) push-button switch guaranteed for

ON/OFF: life

CHARGE/

RUN TIME: Overnight charge will run 1.5 hours. With AC-110 and 12 volt DC cigarette lighter.

IDENTIFICATION: The flashlight shall be serialized for positive identification.

BATTERY: High capacity sub-C nickel-cadmium rechargeable battery can be recharged up to 1,000 times.

WARRANTY: Limited lifetime warranty on the body and switch. One year warranty on the battery and charger; six month warranty on the lamp.

REFERENCE: Streamlight Model SLOOXP or approved equal.

----- Comply Exception ----- Alternate

ITEM #9 GLOVES, FINGER -LIGHTWEIGHT LEATHER

DESCRIPTION: Insulated shell glove, model CHILLBUSTER or equal. Leather. water and oil Repellency in accordance with standard of 3M.

ELASTIC: 100% cotton or a comparable poly-cotton blend.

Color black.

COLOR: Black

To fit male and female-XS, S, M, L, XL and

SIZES: 2XI

REFERENCE: Finger fashions model #7318 for men's and model #7314W for

female or approved equal.

ComplyException Alternate

ITEM # 11 RAINCOAT WITH MATCHING HAT COVER, REVËRSYBLFJ, M & F

STYLE:

The raincoat shall be waterproof by design in a fully cut raglan shoulder design reversible to high-visibility fluorescent with reflective trim. There shall be a sports style collar zips to top.

DESIGN & CONSTRUCTION:

B.Dry00 waterproof, windproof, breathable raincoat.

ANSI/ISEA 107 Class 111 celified.

Adjustable cuffs with hook and loop closure

Hi-Contrast ScotchliteTM reflective trim around chest, sleeves, cuffs and bottom hem.

Double stitch on fly front with reversible zipper.

One-piece collar and sleeves

Quick dry taffeta pockets

Raglan drop shoulder for unrestricted movement

Reversible hook and loop sleeve adjustment. Reversible to high-visibility color

collar zips to top

. Two 10-inch welt style cut through pockets for access to equipment Badge tabs on both sides

Microphone tabs on left front and right front of both dark and hi-vis sides

SHELL

FABRIC:

100% Polyester Oxford 300Dx300D PU visible coating 2000mm waterproofness 3000 gm MVP; shall resist oil, discoloration and be odor free. 100% Nylon Oxford 200Dx200D PU clear coating 2000mm waterproofness 3000 gm MVP; shall resist oil, discoloration and be odor free,

TRIM:

Eyelets: 3L matt. (black)

Hook and Loop: woven nylon base (black)
Plastic fastener: IOOrmn translucent plastic pin

Reflective trim: 2 inch wide, 3M ScotchliteTM silver reflective fabric on 2.5 inch wide

black ribbon

Seam tape: waterproof seam-sealing tape, 1.0 inch in width compatible with the coating

compound.

Snaps: non rusting reversible and regular, 20 ligne, gun metal finish nickel on brass,

Heavy duty closure, black nylon cap

Front zipper: vison, two way 28 inches. (Size L/Reg, Color: black)

COLOR:

Hi-Vis Yellow/Black

STANDARD SIZE RANGE:

Unisex: Regular: XS -3XL

Tall:

M 3XL

MEASUREMENTS: Unisex: Regular length, Size large

a. Chest: 55 (plus or minus 0.75 inches) b. Sweep: 56.5 (plus or minus 0.75 inches) CD Back Length 48.5 (plus or minus 0.75 inches)

d. Sleeve Length from CB (plus or minus 0.5 inches)

WARRANTY: Garments will have a warranty covering (at minimum) defects in material and workmanship for three (3) years. Garments meet ANSVISEA 107-2004 class Ill requirements. Garments must be manufactured to ISO 9001 quality assurance standard. (AG0900)

NOTE: HAT COVERS SHALL BE INCLUDED THE RAINCOAT AS SPECIFIED ABOVE WITH ONE TOTAL COST BID.

REFERENCE:

Rain Coat #733 and Hat Cover #107 or approved equal.

Alternate	Comply	Exception	

ITEM # 12	RAIN HAT COVER
GENERAL:	Reversible waterproof rain cap cover designed to fit eight-point police cap snugly without breaking crown. Bomld with 1 1/16" elastic, stitched with a zigzag lockstitch.
MATERIAL	Two-ply 'Tech-lite urethane coated oxford nylon with Ultra-Tech factory sealed taped seams.
COLOR: REFERENCI	Black and reversible to fluorescent yellow. E: Blauer model # 107 hat cover or approved equal.
Co	mplyExceptionAlternate

ITEM #	<i>‡</i> 13	SCAR	VES
--------	-------------	------	-----

COLOR: Navy blue OR BLACK for police personnel.

STYLE: Flat scarf, Schuessler Knitting Mills or approved equal.

SIZE: Approximately 52" long x 8" wide.

COMPLY____ EXCEPTION____ALTERNATE____

ITEM #14 SHIRT, LONG SLEEVE LIEUTENANT

DESIGN: 68% Dacron Polyester/30% Rayon/2% Lycra. Flying Cross Model 45W6900. Dress

style, top center placket front. full cut tapered fit, Freedom Collar, long sleeves with baJTel cuffs, and dress shirttail. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Full badge reinforcement. Matching inside yoke and collar-band of high luster PolyTwiII. Work wear industrial style shift construction is

unacceptable and shall be cause for rejection.

COLOR:

'White.

POCKETS:

Male. Two breast patch pockets w/mitered comers and I III" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket io measure 5 5/8" wide, 6" deep. Left breast pocket to have 1 lh" pencil stitch. Each pocket to have hook Velcro ⁰/0" long by Y7-¹¹ wide, positioned on both edges of pocket to ^{c0}ITespond with outer scalloped flap points as specified. Belem to be stitched all sides and to be sewn through pocket and shirt for added reinforcement,

SIZES: To be selected upon award of contract. Bidders should consider approximately twelve officers for special sizing of additional shirt tail length and/or chest/neck at additional cost.

Women: 28-52 Sleeve length: Even 28-48 & Up: Reg 30-34Long31-35

Men: 32, 33, 34, 36, 37: 37T -40T: Neck size: 14.5 -18.5, 19, 20, 21, 22

Rank insignia shall be sewn on and centered on each epaulet.

EPAULETS: Epaulets are sewn into the shoulder seam. Epaulets are set approximately I " from collar band seam. Epaulets shall be box stitched to shoulders with a row of cross-stitching 2" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets are lined with 250 Dacron.

PACKAGING: Shirts are to be individually packaged in poly-bags.

WARRANTY: Garments shall carry a manufacturer's printed limited warranty hang tag which shall instruct the owner of his rights under the warranty and shall contain at minimum the following:

Coverage: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of one (I) year from date of purchase.

Warranty Service: Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

Limitations: This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse. accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

NOTE:	BIDDER	IS	RESPO	ONSIBLE	FOR	ACCUR	ATELY	SIZING	ALL
PERSO	NNEL IN	ITE	M OF	CLOTHIN	1G				

SAMPLE: Sample of shirt to be presented (tall size) at the time of bid submittal to Policy & Procedures.

REFERENCE: Fechheimer Male 45W6900 and Female 102W6900 or approved equal.

COMPLY	EXCEPTON	ALTERNATE	

ITEM # 15 SHIRT, SHORT SLEEVE, LIEUTENANT AND UP MALE & FEMALE

DESIGN:

65% Dacron Polyester/35 % Rayon. Weight: 10.0 to 10.50 oz./linear yard. To be Flying Cross Model 97R6686. Dress style, top center placket front, full cut 'tapered fit, convertible collar, short sleeves, and dress shirt. Two pleated breast pockets with topstitched scalloped flaps. Topstitched shoulder straps. Full badge reinforcement. Matching inside yoke of Dacron/Cotton Poplin. Work wear industrial style shirt construction is unacceptable and shall be cause for rejection.

POCKETS: <u>Male:</u> Two breast patch pockets w/mitered comers and 1 Yz" stitched pleats. Pleats shall be stitched top and bottom and full length of pleat to prevent spreading. Pocket to measure 5 5/8" wide, 6" deep. Left breast pocket to have IYz" pencil stitch. Each pocket to have hook Velcro ⁰/0" long by Yz" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as specified. Velcro to be stitched all sides and to be sewn through pocket and shirt for added reinforcement

EMBLEMS:

Lieutenant - I pair of gold bars

Captain - 1 pair of double gold bars
Commander ... 1 pair of gold oak Leaf
Deputy Chief - 1 pair of gold eagles
Chief - 1 pair of gold stars

Rank insignia shall be sewn on and centered on each epaulet.

EPAULETS. Epaulets are sewn into the shoulder seam. Epaulets are set approximately 1? 'from collar band seam. Epaulets shall be box stitched to shoulders with a row of crossstitching 2" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets are lined with 250 Dacron.

COLOR: White

PACKAGING Shirt are to be individually packaged in poly-bags.

WARRANTY: Garments shall carry a manufacturer's printed limited warranty hang tag which shall intact the owner of his rights under the warranty shall and contain at minimum the following: Coverage: Manufacturer agrees to warranty to the original purchaser that the product will be free from defects in materials and workmanship for a period of one (1) year from date of purchase.

Warranty Service: Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer

agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

Limitations: This warranty does not cover normal wear and tear; improper cleaning, damage from chemicals, fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

NOTE: THE BIDDER IS RESPONSIBLE FOR ACCURATELY SIZING ALL PERSONNEL IN ITEM OF CLOTHING.

SAMPLE:	Sample of shirt (tall size Procedures.) to be presented at the time of bid submittal to Policy &
REFERENCE	: Fechheimer Male 97R6686	6 Women 154R6686 or approved equal.
COMPLY	EXCEPTON	ALTERNATE

ITEM #16 SHOES, BLACK CLARION LEATHER OXFORD - MALE

- 1. Box toe -XL-30 Thermoplastic
- 2 Durable comfort weave
- 3. Footed -Contoured Polyurethane
- 4. Outsole -Super lightweight Vibrain EVA, w/oil and slip resisting compound

SIZES:

Men's Narrow 8-12, 12, 14, 15 including half sizes through 1 2
Medium 6-12, 13, 14, 15, 16 including half sizes through 12
Wide 6-12, 13, 14, 15 including half sizes through 12
Extra wide 7-12, 13, 14, 15 including half sizes through 12

REFERENCE: Thorogood #831-6027 or approved equal

COMPLY	EXCEPTON	ALTERNATE	· •

ITEM # 17 SHOES, STREET DUTY	- MALE
insert.	her - Construction: super comfort polyurethane removable y Rubber w/S.T,,E.Po Technology. SIZES:
Medium. wide, extra wide	7-12, 13. 14, 15 (half sizes through 12)
LACE:60"Black Round Nylon.	
REFERENCE: Weinbrennerts Thorogood	#834-6905 or approved equal.
COMPLY EXCEPTON	ALTERNATE

ITEM #18 SECOND CHANCETM TACTICAL ASSAULT CARRIER (TAC) W/POCKET

BRAND:

Second ChanceTM

NAME OF CARRIER: Tactical Assault Carrier (TAC) with Pocket

MATERIAL: Outer Shell: 1,000-denier Cardura)

Inner Lining: Hexagon Nylon Rip-Stop

ARMOR:

Panel Access: Internal hidden zipper (front and rear) Suspension System: Internal hook/loop suspension

PLATE POCKET: Male 7"x9", and I 0"x12"Female —5"x8", 7"x9", and 8"xl 0"
Internal bottom loading, front and rear tri-pockets

CLOSURE FASTENING

SYSTEM:

Enhanced Front & Back Adjustability

Adjustable Side Closure

Adjustable, overlapping hook and loop shoulder closure

POCKETS/POUCHES: Pennant Pockets:

(1) 6"x6" Utility

(1) 2"x6" Flashlight/Baton

(1) 6" Dual Magazine (Handgun or Rifle)

(I) 4 "x 6" Radio

(2) 3" Handcuff

RETENTION TAILS: Not Applicable

PRODUCT FEATURES: Adjustable - Removable internal cummerblll Id Front

removable pull down patch/badge holder

Front Mice Tabs

Back & front loop for ID patch Hidden radio wire channel

OPTIONAL TACTICAL

FEATURES: Dual weapon retention I Non-skid material / Rear drag strap I Hidden

radio wire channel

SIZES:

Custom Sizing

COLOR:

Black

CARRIER SYSTEM

from the date of purch	workmanship and material nase.	s for a period of twelve (12)	
Reference: Safarilan Second Chance	ractical Assault Carrier (1	AC) with Focket.	
Comply	Exception	Alternate	

ITEM #19 SOC	KS, UNIFORM (MALE)
DESCRIPTION	N: Socks shall be 80% wool, 20% stretch nylon, acrylic. Lycra on top. Reinforced to and heel shield. Beograd odor control. Machine washable.
COLOR:BLAC	CK
STYLE:	Mid-calf length
SIZES:	10-13 regular
REFERENCE:	Burlington's #BB400 or approved equal.
COMPLY	EXCEPTON ALTERNATE

ITEM #20	SWEA	TFR9	CARD	$[G\Delta]$	N
111111111111111111111111111111111111	13 77 177	113117	LAND	11 17	

DESCRIPTION.' Shall be 100% Monsanto bi-loft acrylic knit sweater coat with long sleeves. Shaker crew neck, I -Yi"flat braiding on sides of zipper, flat braiding on two Front pocket tops and a ribbed bottom.

CONSTRUCTION: 3 ply, 2 x 2 knit finish of cuffs and bottom band.

COLOR: Navy Blue.

SIZES: Small to 3XL to fit males & females.

REFERENCE: San Francisco #5510 or approved equal.

COMPLY ____ EXCEPTON ___ ALTERNATE____

Item #21 THERMAL LINER W/SLEEVESMATERIAL: Nylon outer shell & nylon lining filled with 5 oz. hallo-fill insulation (DuPont). Diamond pattern stitched thru all layers (5 oz. Dacron/polyester fiber fill), including inside.

COLOR:	Navy Blue.				
BODY DETA	IL: Shall be made over a full cut long sleeve vest pattern, knit wristlets, YKK Zipper closure with a deep V-neck so as not to show under outer garment. Bi-Swing back.				
POCKETS:	There shall be 2" outside set in type pockets and two inside patch pockets, bound on all sides with rayon bias binding. The bottom edges of the pockets shall be positioned at the bottom edge of the vest and shall be attached with a single needle machine.				
GENERAL:	Length to be approximately 4' below belt line.				
SIZES:	Extra small through 6XL, tall sizes medium to 6XL. To fit males and females.				
	SAMPLE: Sample of liner (in largest size to be offered) to be presented at the time of bid submittal to Policy & Procedures				
	,ComplyExceptionAlternate				

ITEM#22	TIES Black				
LENGTH:	.18", 20", 22" & 24"				
STYLE:	The tie shall be 3" wide, Dacron-wool, redi-ties with metal bend-over clip. The color to be navy blue for Patrol Officers and Sergeants. and black for Lieutenants and up. Tie shall have button hole feature to secure fie to shirt button.				
COLOR:	Black				
REFERENCI	E: Broome Tie or appro	oved equal.			
	Comply	Exception	Alternate		

ITEM # 23 EQUIPMENT BAG (Nylon)

DESCRIPTION: Durable Ballistic 840 Denier Nylon-100% water-resistant and PVC lining allows water proof protection. Reinforced walls and padded top; interior compartment includes adjustable divider.

FEATURES: Seven pockets; 2-side zippered exterior cargo), 3 large exterior open-top and 2 medium interior zippers. Tough nylon web handles and adjustable non-slick "boomerang!' padded shoulder strap. Leather I.D. window, flashlight/baton holder. Zipper puller cords.

SIZE: 12 !tHx 18 Yz"Wx 7 Yz"D

ITEM # 24 TROUSER, FOUR POCKET POLYESTER MALE (12 -12 oz).

STYLE:

Fabric Content: 100% Polyester. Weight: 12-12Vi oz. per linear yard. Weave: Gabardine. Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-l: plain front, two (2) quarter top front pockets. In addition, two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection.

COLOR:

Navy

POCKETS:

The two (2) front pockets will be quarter lop style with a minimum opening of 6 and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bar tack s at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bar tack to bar tack) opening and a minimum depth of 5-3/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The comers of the hip pocket openings shall have triangular bar tack s for reinforcement (use of straight bar tack s shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic cloth inserte into the top welt with bar tack s at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening of 2-5/8" and a minimum depth of 2-7/8". The front of the pocket shall be made

LABELS: Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL or RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

SIZE: 22 to 50

Exceptional size range (approx. 2% of personnel will fall into this category). Bidder is responsible to outfit personnel in this item.

ALTERATIONS: Length, seat waist alterations shall be included in the bid price. Bidder m us t have qualifications and capability to make necessary alterations. Location of alterations is subject to approval of the Chief of Police and the Department of Public Safety.

REFERENCE: Fechheimer TR070 MALE or approved equal.

Comply	Exception	Alternate
Compry_	Exception	Ancinate

ITEM #25 TROUSERS, (WOOL) 14 OZ. BLEND LIEUTENANT & UP, MALE

MATERIAL: Raeford Style - #32030-30 Weave: Serge — 15-18% Stretch. Weight: 12.5-13.0 oz. Per linear yard, Fiber Content: 74% Dacron Polyester 25% Wool Worsted 1% Lycra.

Breaking Strength: 190 Pounds in the Warp 150 Pounds in the Filling. Construction: 84 ends per inch 63 picks per inch. Fiber Length: Wool: 3-3.5 inches average minimum

Poly: 3 inches minimum. Dye Procedure: Piece Dyed.

COLOR: Navy.

STYLE: Shall be manufactured from a men's uniform trouser pattern. The trouser styling shall

incorporate a plain front, two quarter top front pockets, two hip pockets and watch

pocket. Trouser is straight leg style.

BRAID:

One inch wide black nylon tape, sewn on both legs from the waistband to full length of

tum-up.

POCKETING: Shall be 70% Polyester/30% Cotton, 2.9 oz. per sq. yard (60" width) with a minimum 78 x 64 count. Pockets shall have a durable press finish and the color of the pockets must be black. The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5 % measured from the bottom of the opening. Front pockets to have straight bar tack s (use of triangle bar tack s will be cause for rejection) at the top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Pocket facings to be made of the basic fabric and must measure a minimum of 3" in width at the top. The two (2) hip pockets shall have a minimum opening of 5 Yz" and a minimum depth of 5 %0" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on a REECE PW Machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pocket welts shall be cause for rejection). The comers of the hip pocket openings shall have firm straight bar tack s for reinforcement (triangle bar tack s are unacceptable). Hip pocket facings to be made of basic fabric and have a minimum depth of The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bar tack s at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab. The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening and depth of 2 ⁰/0" The front of the pocket shall be made of pocketing fabric and the

back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each comer of the pocket opening shall have firm straight bar tack

s.

WAISTBAND: The trouser will be made with the Freedom- Fit@ waistband system, which is designed to provide the wearer with a more comfortable and better fitting trouser. The waistband closure shall be accomplished with a crush proof hook and eye. The hook And eye shall be reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and main. This topstitching must be to the top of the waistband. The waistband must be

topstitched 6" below the waistband seam for added strength. The top portion of the inside of the waistband is to consist of the same fabric as used for pocketing (70% polyester, 30% cotton -minimum 80 X 62 (+/-) 2 count). The 'fabric is to be cut on the bias for maximum comfort. To be 1 3/4" wide and to finish 1 1/8" wide after construction. Upper waistband curtain to be innerfined lined with stretch Ban-Rol canvas. This canvas fabric consists of a warp of 47 ends of texturized nylon and a fill of 34 ends of 750 denier polyester monofilament. The woven fabric is coated with latex, which completely encapsulates all yarns. This finish canvas fabric weighs 12.0 oz/yd². The canvas will be cut 1 3/8" wide with the monofilaments running vertically and have a 10% stretch. The bottom portion of the waistband curtain will be a blend of 32% nylon, 38% polyester, 18% rubber (3 strands) 11% Lycra and 1% acYlic woven 1 7/8" wide and to finish a minimum of 1 5/8" wide. To have a minimum of 40% stretch characteristics.

NOTE: IN A PERFORMANCE STRETCH WAISTBAND, THE UPPER AND LOWER PORTION OF THE BAND WILL PERFORM DIFFERENT FUNCTIONS.

The upper portion should allow a conform fit at the waist when bending or sitting, and must maintain a crisp, clean appearance at the outer waistband. This part of the band will stretch 10% and be firm enough to prevent waistband rollover. The bottom portion of the waistband stretches over the hip to give support to the lower back and abdomen. In addition, this high stretch portion of the band should constantly be pressed up by the hips, preventing the slack from slipping down while being worn, even if heavy keys, change, or other items are carried in the pockets or on the belt. The three (3) rubberized strands ensure that shills stay tucked in for neat appearance. There shall be a minimum of seven belt loops (except for the back center loop) must be sewn into the bottom of the waistband (dropped belt loops are cause for rejection) and the top of the belt loops shall be caught into the waistband main seam with a Rocap machine. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband.

FRONT: Trouser shall have a metal lock zipper. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic cloth (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric as the waistband curtain and pocketing. The fly lining shall be sewn to the left fly below the zipper in a neat and durable manner. A button shall be located on the left fly

corresponding with the French Fly tab to provide a clean and comfortable closure. There shall be a firm straight bar tack at the bottom of the fly going through the zipper tape,,

SEAMS:

A crotch liner shall be basted into the seam allowance at the crotch on each leg and sewn in during final assemble. Seat outlet to measure a minimum of 2 ⁰/0" to allow for alterations. Seat must be sewn with a Tandem Needle Machine.

LITERAL

CREASES:

Trouser legs shall incorporate front and back literal silicone creases (applied to the trouser crease) or the permanent life of the garment.

FINISHING:

Trouser must be stitched with matching thread and all stitching to show must be IO- I stitches per inch. Trouser must be neatly pressed on Hothead Presses and properly shaped. Out seams and inseams must be pressed open. Trouser must be cleaned and finished to eliminate loose threads. Trouser must have a care label permanently affixed that also indicates the size. A paper ticket showing the size, fabric content, cut number and WALL number must be on the outside of the waistband. Garment must be made in the United States of America and bear a union label.

ALTERATIONS: Length and waist alterations shall be included in the bid price. Bidder must have qualifications and capability to make necessary alterations.

Location of alterations is subject to approval of the Chief of Police and the Department of Public Safety.

SIZE RANGE: Trouser must be available from stock in the following

sizes: 22 to 50 Also, exceptional sizes range for

approximately 2% of personnel.

REFERENCE: Fechheimer #43200 or approved equal.

ComplyException	Alternate
-----------------	-----------

ITEM # 26 JACKET, ARMY FIELD MATERIAL: Water repellant Poly/cotton cotton/twill, eight (8) pounds in weight. LINERS: Black liner, removable, concealed hood POCKETS: Four (4) pockets FRONT: Zipper front COLOR: Black SIZE: XS - 3XL 'REFERENCE: ROTHKO; Field Jacket -M-65 8444 _Comply____Exception Alternate ITEM 27 CAP, KNIT WATCH 4NAVY & BLACK W/WIND STOPPER LINER STYLE: Commando, high performance, yam blend of Monsanto low pill fiber and long-staple wool. Comfortable, durable and machine washable. Light and tight knit. MATERIAL: 100% Virgin wool, washable, non-pilling PIL-TROL blend of long-staple 70% Monsanto S-63 fiber and 30% wool. LINING: 125XCR includes windproof, ultra-breathable Wind stopper lining. Gore Wind stopper liner consisting of a windproof-breathable membrane laminated, polyester knit fabric resulting in a dry cleanable and washable, windproof material with very high moisture vapor transmission. COLOR: Dark Navy All officers Black SWAT and Canine SIZE: One size fits all,

Alternate

REFERENCE: Blauer #125XCR or approve equal.

_Comply____Exception

ITEM #28 POLO SHIRT Ufx UNIFORM 0<5104)

DESCRIPTION: Loose fit uniform style knit short sleeve shirt w/gusseted side panels. three button placket, two front pockets, stitched-in creases and epaulets. All measurements will be taken without stretching the material. One piece sleeve, I " double needle topstitched hem and have graded lengths. Sleeve setting and closing shall be done with amen-ow stitch. Two breast pockets w/mitered comers to finish 5" wide and 6-1/2" long. Both pockets to have I — W' box pleat stitched top and bottom to prevent spreading.

MATERIAL: 100% POLYESTER CIRCULAR KNIT Swiss pique, 7025 oz./sq. yd. Permanent X-EEDE performance must provide UV protection and wick moisture away from the body for superior comfort, thermal protection, ultimate dryness and enhanced performance. Fabric to be colorfast, abrasion resistant and spill-proof. The permanent anti-microbial technology is odor, mildew and 99.9% bacteria resistant.

COLOR:

Dark Navy White

EMBLEMS: There will be a regulation cloth badge/identification patch sewn on the shirt on the right front opposite the badge eyelet. This patch will be supplied by the Vendor.

SIZE:	XS	S	M	L	XL	2XL	3XL	4XL
CHEST	. 37	41	45	49	53	57	61	55
SWEEP/ BOTTOM BACK	37	41	45	49	53	57	61	55
LENGTH SLEEVE	26	27	28	29	30	31	32	33
LENGTH	9	9	9 Yz	10	IOYz	11	11Yz	12

(Please provide sample of tallest size at time of bid submittal)

REFERENCE: Elbeco/ K5104 approved equal.

 Comply	Exception	Alternate
 Compiy	DACCPHOII	rittiate

ITEM # 29 SHIRT, TURTLENECK

)ESCRIPTION: Jersey knit, full turtleneck shirt Alpha sizing, long sleeves. To be properly finished so as to resist pilling.

N:Long sleeve, pullover top. Sleeves finished with self-goods circular cuffs.

Shoulder seams reinforced with iatex ribbon. Shoulder and collar setting seams reinforced with double needle overstitch topstitching. Front hem is straight while the back hem is longer and curved enabling the shift to remain tucked in despite repeated bending by the wearer.

MATERIAL: Constructed of 32/1 92% Cotton and 8% Lycra. Jersey Knit. Weight is 6.34 ounce per square yard.

COLLAR AND NECK: Turtle neck collar is 4.5" inches high to fold into 225" turtle neck collar. Lycra in collar permits trim fit and helps the collar keep its shape to maintain a neat appearance.

INTERLININGS: Collar and Cuffs -Stretch fusible.

COLOR: BLACK Or Navy

CONSTRUCTION: Garment is constructed with four thread overlock on all seams except Collar setting seam. Collar is set with three thread overlock and reinforced with double needle overstitch. Thread to match color of garment.

STABILITY: The washable finished turtleneck, after five laundering and dryings, shall not elongate more than 5.5% or shrink more than 8%.

PACKAGING: Each garment shall be carefully pressed and individually packaged in Polyethylene bags with size marked on each bag. To be sewn under Manufacturer's loop label, sewn in the center back neck under the neck tape. Label will show Size, Content, Manufacturers Style Number and Care Instructions.

SIZE:	Size to range from X	Small to 5X-La.rge.
REFERENCE:	Fechheimer Brothers	Company #52510 or approved equal.
 Comply	Exception	Alternate

ITEM #30 SHIRT, TURTLENECK

DESCRIPTION: Jersey knit, full turtleneck shirt Alpha sizing, long sleeves. To be properly finished so as to resist pilling.

DESIGN: Long sleeve, pullover top. Sleeves finished with self-goods circular cuffs.

Shoulder seams reinforced with latex ribbon. Shoulder and collar setting seams reinforced with double needle overstitch topstitching. Front hem is straight while the back hem is longer and curved enabling the shirt to remain tucked in despite repeated bending by the wearer.

MATERIAL: Constructed of 32/1 92% Cotton and 8% Lycra. Jersey Knit. Weight is 6.34 ounce per square yard.

COLLAR AND NECK: Turtle neck collar is 4.5" inches high to fold into 2.25" turtle neck collar. Lycra in collar permits trim fit and helps the collar keep its shape to maintain a neat appearance.

. INTERLININGS: Collar and Cuffs -Stretch fusible.

COLOR:

WHITE

CONSTRUCTION: Garment is constructed with four-thread overlock on all seams except Collar setting seam. Collar is set with three thread overlock and reinforced with double needle overstitch. Thread to match color of garment.

DIMENSIONAL

STABILITY: The washable finished turtleneck, after five laundering and dryings, shall not elongate more than 5.5% or shrink more than 8%.

PACKAGING: Each garment shall be carefully pressed and individually packaged in Polyethylene bags with size marked on each bag. To be sewn under Manufacturer\$ s loop label, sewn in the center back neck under the neck tape. Label will show Size, Content, Manufacturers Style Number and Care Instructions.

SIZE: Size to range from X-Small to 5X-Laxge.

REFERENCE: Fechheimer Brothers Company #52510 or approved equal.

. Comply Exception Alternate

ITEM # 31

OVERSHOE, NYLON

DESCRIPTION: 100% Waterproof 500 Denier Nylon Insulated with IOmm of PU foam. Folds fiat

for packing. Weight 2 lbs. 6 ounces. Height 1 1 't Sole: Vibram Tundra high

Traction with snowshoe compatible heel.

COLOR:

Black.

SIZES:

Adult XS -2XL

REFERENCE: NEOS 1610300 (or approved equal)

_____Comply____Exception____Alternate

ITEM 33	PANTS, TDU POLY/COTTON
DESCRIPTION	N: Tactical Duty Uniform (TDU) Polyester/cotton twill pant, w/self-adjusting comfort waistband, removable neoprene kneepads; Genuine YKK zippers and snaps.
POCKETS:	Front storage pockets, large side pockets w/added inside pocket containing a divider for AR mags. Each pocket fined w/back-Up Belt System. Two rear pockets.
SIZE:	XS -4XL Short, Regular, Long
COLOR:	Dark Navy Black

____Comply____Exception____Alternate

REFERENCE: 5.1 1, 74004 or approved equal.

ITEM # 34 CAP, CHIEF & DC LIGHT WRIGHT

STYLE:

Eight (8) Point Police Cap w/Open Cane Frame. Two rows of gold

soutache, and detachable black braid.

VISOR:

Black, quality #400, Hankin shape C909, to measure I 15/16" long and pitched at approximately 25 degrees; High gloss black vinyl top surface

to be 20 millimeters thick; underside to be embossed vinyl.

STRAP:

Adj list-a-size adjustable

sweatband, SIZE: S

(Medium 7,

7 1/8 and 7 1/.i).

SWEAT SHIELD: .004 Mil. Clear flexible polyethylene 4 W'x 4", sewn to lining.

FRAME: Black plastic open cane 2" wide before processing; bottom shall be bound off with black fabric; 1 1;4 't black bias cambric shall be sewn to inner lower portion of the open cane frame.

GROMMET: W'O.D

Plastic, Clear Tubing

EYELETS: Shall be white enameled brass eyelets, placed two at each side ventilation with 3

badge eyelet to be installed horizontally in front of cap, $^{0}/0"$ up from band; there shall be one eyelet in front seam; flanked by remaining 2 eyelets spaced 1 $^{0}/0"$ apart center to center.

SAMPLE: Each bidder, prior to bid opening, submit a sample for inspection of the cap they propose to supply

REFERENCE: Hankin Bros. Style #1-18w-2/5/3 Adj. or approved equal.				
Com	ply	Exception	Alternate	

REFERENCE: Hankin Bros. Style #1-18w-	2/5/3 Adj. or appro	oved equal.	
Comply	Exception	Alternate	

11EM # 35 G	LOVES, SERVICE
DESCRIPTIO	N: Nylon waterproof all duty-gloves. A durable 100 ° 0 nylon shell and waterproof insert to keep hands dry. Thinsulate TM lining for warmth. Rubber Tec palm and fingers enhance gripping.
COLOR:	Black
SIZE:	XS -2XL
REFERENCE	: GFP Gloves for Professionals #465-B or approved equal.
Comp	oly ExceptionAlternate

ITEM #36 UNDER ARMOR "LOOSE GEAR"TeeShi

DESCRIPTION: 100% Poly Double Knit. Paxar Satin care. Franz Berta

Heat seal locker tag; 'Franz Balia Heat seal Logo.

COLOR: NAVY

SIZE XS -3XIJ Short Sleeve

JUVENILE Large

REFERENCE: Under Armor #1005684 or equal

_____Comply-___Exception ____Alternate

ITEM #37 UNDERARMOR "LOOSEGEAR" Tee Shirt

DESCRIPTION: 100% Poly	'Double Knit. Paxar Sa	atin care. Franz Heat seal	locker tag; Franz Balia
------------------------	------------------------	----------------------------	-------------------------

Heat Seal Logo.

COLOR:

WHITE

SIZE:

XS -3XL Short

Sleeve JUVENILE Large

REFERENCE: Under Armor #1005684or equal

____Comply Exception ____Alternate

ITEM #38 PROFESSIONAL POLO - TACTICAL SHORT SLEEVE

DESIGN: Three button placket. hidden pencil pocket and collar stays.

FABRIC: 100% Cotton Pique specially treated to prevent shrinking and wrinkling

STITCHING, PRESSING & FINISHING: Must be stitched w/matching thread. Must be cleaned and finished to eliminate loose threads.

LABEL: Care and size label, country of origin and fiber content permanently attached to garment.

BUTTONS:

made w/melamine buttons that won't melt, burn or crack

COLOR: White -Lieutenant

SIZE S-3XL Unisex Regular and Tall

ŒFERENCE: Tactical 5.11 Model 41060 S/S or approved equal.

_____Comply
_____Exception
Alternate

ITEM #39 PROFESSIONAL POLO TACTICAL 5.11 LONG SLEEVE DESIGN: Three

button placket, hidden pencil pocket and collar stays.

FABRIC: '100% Cotton Pique specially treated to prevent shrinking and wrinkling

STITCHING, PRESSING & FINISHING: Must be stitched w/matching thread. Must be cleaned and finished to eliminate loose threads.

LABELS: Care and size label, county of origin and fiber content permanently attached to garment.

BUTTONS: Made 'w/melamine buttons that won't melt, burn or crack

)COLOR: White —Lieutenant

SIZE: S – 3XLUnisex -Regular and Tall

REFERENCE: Tactical 5.1 1 Model 42056 LIS or approved equal.

_____Comply ____Exception Alternate

ITEM # 40 UNDER ARMOR "LOOSE GEAR" -T-SHIRT

DESCRIPTION: 3.9 oz. Polyester. UA Tech fabric has an ultra-soft, more natural feel. Moisture Transport System wicks sweat away from the body. Anti-odor technology prevents the growth of odor causing microbes.

α		\sim	_	
CO	11	11	v	٠
\sim	'.	\mathbf{v}	1/	

NAVY

SIZE:

XS -3XL Long sleeve

REFERENCE: Under Armor 1248196

or equal

comply exceptions Alternative

ITEM # 41	UNDERARMOR "LOOSE GEAR" T.SHIRT
DESCRIPT	TION: 3.9 oz. Polyester. UA Tech fabric has an ultra-soft, more natural feel. Moisture Transport System wicks sweat away from (he body. Anti-odor technology prevents the growth of odor causing microbes.
COLOR:	White
	SIZE: XS -3XL Long sleeve REFERENCE: Under Armor 1248
	ComplyExceptionAlternate

ITEM # 42 BOOTS, 6" LIGHTWEIGHT WATERPROOF MALE & FEMALE

MATERIAL: Upper leather 2 -2.2 mm black full grain vamp w/ I .8 -2 mm black action leather Balance. Durable Two Zone Mesh lining. Lining backed w/bootie of blood borne pathogen resisting and waterproof breathable Thoro-dri membrane.

CONSTRUCTION: Box Toe -XL-20 thenno plastic.

LACE:

60" black round nylon

SIZES:

Men:

4-12, 13, 14, 15, 16* including half sizes through 12,

Medium, Wide & 'Extra Wide (7-12, 13)

*(size 16 may be provided by another manufacturer)

Women:

6—12, including halfsizes through 12, Medium, Wide

REFERENCE: Weinbrenner Shoe Company: MODEL #834-6218 or approved equal.

_____Comply ____Exception

Alternate

ITEM #43 BOOTS, 8" LIGHTWEIGHT WATERPROOF W/WATERPROOF ZIPPER MALE & FEMALE

MATERIAL: Upper leather 2 -2.2 mm black full grain vamp w/ I .8 -2 mm black action leather balance. Durable Two Zone Mesh lining. Lining backed w/bootie of blood borne pathogen resisting and waterproof breathable Thoro-dri mem brane.

CONSTRUCTION: Box Toe -XL,,20 thermoplastic.

LACE:

72" black round nylon

ZIPPER:

YKK nylon w/locking keeper and leatherNelcro cover.

SIZES:

Men:

4-12, 13, 14, 15, 16* including half sizes through 12

(Medium, Wide and Extra Wide 7-12, 13)

*(size 16 may be provided by another manufacturer)

Women:

6-12, including half sizes through 12,

(Medium, Wide)

REFERENCE: Weinbrenner 834-6219 or approved equal.

____Comply

Exception

Alternate

ITEM # 44 F	LEECFÄÄNED KNIT SKUL	L CAP	
MATERIAL:	Bonded fleece technology provide warm rib knit. 160 B. WARM h wool, and 21% low pill acrylic.	igh performance blend	l of 58% polyester, 21 ° 0 worsted
COLOR:	D ark navy —all officers		
SIZE:	One size fits all.		
EMBROIDEF	RY: The Cleveland Public Utilities match lettering on patch.	s Police hat patch (3 x 2	2) shall be sewn on in thread to
REFERENCI	E: Blauer #160 or approved equal.		
		Exception	Alternate

____Comply

TEM # 45_ TROUSER SIX-POCKET M & F POLY-WOOL

DESIGN: 75% Polyester/25% Wool; 12 oz. per linear yard; Serge. Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-ll: plain front, two (2) quarter top front pockets. two (2) side cargo pockets with hidden cell phone pocket inside right pocket and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection. Machine washable and dry cleanable.

COLOR:

Navy .

BELT LOOP: Shan be relocated just over the side seam of both side pant pockets.

'POCKETS: The two (2) front pockets will be quarter top style with a minimum opening of 6 ^{il} and a minimum depth of 5-3/4 ¹ⁱ measured from the bottom of the opening. Front pockets to have firm straight bar tacks at top and bottom of pocket openings. Pockets shall be constructed using the stitch, tum, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of 1" and barrier shall measure a minimum of 2 ¹¹ (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8 ¹¹ wide (bar tack to bar tack) opening and a minimum depth of 5-3/4 ¹¹ measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight bar tacks for reinforcement (use of triangular bar tacks shall be cause for rejection). Hip pocket facing and barrier are to be made of basic trouser fabric. Facing shall be a minimum of 3/4 ¹¹ and the barrier shall be a minimum of Pl/2". The left hip pocket shall have a centered tab made of basic cloth inseled into the top welt with bar tacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. There shall be approximately 2-3/4 ¹¹ long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

The watch pocket shall be located on the right front at the waistband. This pocket shall have a minimum opening of 2 5/8" and a minimum depth of 2 7/8 ¹¹. The front of the pocket shall be made of pocketing fabric and the back of the pocket shall be made of basic fabric and the two pieces are securely stitched together. Each corner of the pocket opening shall have firm straight bar tacks.

CÄRGC) POCKETS: There shall be two cargo pockets, one on each side seam. Pockets shall be double-section pleated patch pockets with flaps. The pockets will be centered across the side seam and placed approximately 2" below the bottom of the front quarter-top pocket, measuring from the top of the pocket flap. The pocket shall be constructed of the shell fabric and lined with the specified pocketing. The top edge of the pocket shall be bound. The outside measurements of the pocket shall be a minimum of 7 ¹¹ wide x and a minimum of 8 ¹¹ deep with mitered bottom corners. There

shall be a center pleat on each pocket. The pocket flap shall be pointed at the center and measure a minimum of 7-1/4" wide, a minimum of 2" deep at the ends, and a minimum of 3-1/4" deep at the center point. The flap shall be sewn across the top to the inner pocket and down both sides, covering the top edge of the outer pocket. There shall be a 1-1/2" wide x 1" deep piece of Velcro (male side) sewn to the inner ply of the flap and a

Corresponding piece of Velcro (female side) sewn on the pleat of the pocket. There shall be a vision zipper sewn behind the inner pocket and to the trouser leg so that the zipper is recessed 1 " from the top of the pocket flap. There shall be straight vertical bar tacks on all four comers of each pocket flap. The right zippered cargo pocket shall have a hidden cell phone compartment set on the front side of the pocket lining.

SIZES:

Men^es Trouser must be available to order in the following sizes: 22 to 50 Women's Trouser must be available to order in the following sizes: 4 to 26

ALTERATIONS: Length, seat waist alterations shall be included in the bid price. Bidder must have qualifications and capability to make necessary alterations. Location of alterations is subject to approval of the Chief of Public Utilities Police

REFERENCE: Fechheimer Male 47680 & Female 47690 Six-Pocket Trouser or approved equal.

Comply	exception	alternative
	,	

ITEM # 46 TROUSERS, POCKET, M & F RAYON BLEND

FABRIC: 70% Polyester/28% Rayon/2% Lycra; 1 11/z- 12 oz. per linear vard; Serge weave Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The (rouser styling shall be T-11: plain front, two (2) quarter top front pockets, two (2) side cargo pockets with hidden cell phone pocket inside right pocket and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection. Machine washable and city cleanable.

COLOR:

Navy

BELT LOOPS: Shall be relocated just over the side seam of both side pant pockets.

POCKETS: The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 5-3/4" measured from the bottom of the opening. Front pockets to have firm straight bar tack s at top and bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facing and barrier to be made of the basic trouser fabric. Facing shall be a minimum of I" and barrier shall measure a minimum of 2" (measured to the inside edge of pocket lining).

The two (2) hip pockets shall have a minimum 5-3/8" wide (bar tack to bar tack) opening and a minimum depth of 5-3/4 't measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The comers of the hip pocket openings shall have straight bar tack s for reinforcement (use of triangular bar tack s shall be cause for rejection). Hip pocket facing and barór are to be made of basic trouser fabric. Facing shall be a minimum of 3/4" and the barrier shall be a minimum of 1-1/2 !t. The left hip pocket shall have a centered tab made of basic cloth inserted into the top welt with bar tack s at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with nonwoven for added durability. There shall be a dart centered above each hip pocket to waistband* Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.

CARGO POCKETS:

There shall be two cargo pockets, one on each side seam. Pockets shall be section pleated patch pockets with flaps. The pockets will be centered across the side seam and placed approximately 2" below the bottom of the front quarter-top pocket, measuring from the top of the pocket flap. The pocket shall be constructed of the shell fabric and lined with the specified pocketing. The top edge of the pocket shall be bound. The outside measurements of the pocket shall be a minimum of 7 81 wide x and a minimum of 8" deep with mitered bottom comers. There shall be a 1-1/2" center pleat on each pocket. The. pocket flap shall be pointed at the center and measure a minimum of 7-1/4'} wide, a minimum of 2" deep at the ends, and a minimum of 3-1/4 1' deep at the center point. The flap shall be sewn across the top to the inner pocket and down both sides, covering the top edge of the outer pocket. There shall be a 1-1/2 't wide x I 'f deep piece of Velcro (male side) sewn to the inner ply of the flap and a corresponding piece of Velcro (female side) sewn on the pleat of the

ITEM#

pocket, There shall be a zipper sewn behind the inner pocket and to the trouser leg so that the zipper is recessed I " from the top of the pocket flap. There shall be straight vefical bar tack s on all four comers of each pocket flap. The

right zippered car9 pocket shall have a hidden cell phone compartment set on the front side of the pocket lining.

STOCK SIZES: Men trouser must be available from stock in the following sizes: 22 to 50 Women trouser must be available from stock in the following sizes: 4 to 26

ALTERATIONS: Length, seat waist alterations shall be included in the bid price. Bidder must have qualifications and capability to make necessary alterations. Location of alterations is subject to approval of the Chief of Public Utilities Police.

39300 and Women's 39350 or approved equal.

Comply	Exception	Alternative

REFERENCE: Fechheimer

47 FIRST RESPONDER KNIFE

DESCRIPTION: Stainless steel senate blade w/screwdriver tip. Spring loaded window punch and thumb stud. One-hand opening lock blade. 4 Yz tolosed: open: 6 oz.				
'REFERENCE: Galls P-KN069 or approved equal				
-	Comply	Exception	Alternate	

ITEM #48	UNDER ARMOR CREW SHORT LONG SLEEVE				
DESCRIPTION: Raglan construction. Long underwear Base 3.0 7.0 oz. 95% PolyAnnour/ 5% Elastase. Flatlock stitching; ergonomic seam placement.					
COLOR:	Black				
SIZE:	S-3XL				
REFERENCE: Under ARMOR Cold Gear #1244394 or approved equal					
	Comply	ALTERNATE			

ITEM # 49	UNDER	ARMOR	'LEGGING

DESCRIPTION: Raglan construction,, Long underwear Base 3.0 7.0 oz. 95% PolyArmour/
5% Elastase. Flatlock stitching, ergonomic seam placement. Performance waistband; working fly.

COLOR:	Black		
SIZE:	S*3XL		
REFERENCI	E: Under Armor Cold Gear #1244395 or approved equal.		
	Exception	Comply	Alternate

ITEM # 50 CASUAL BELT

DESCRIP		l buckle w/matte s MILSPEC Rati		, Double thick, I Yz inch five-row stitched
COLOR:	Black			
SIZE:	S=2711 -30 (one price for all 1 Tactical 1.5" Mode	ll sizes) REFÉRI		, XL=39 W'-43". thru 2XL
	Comni	• 7	Evantion	Altomoto